

### **IDEAL FOR**

- FIRE HALLS
- EMERGENCY MEDICAL SERVICES (EMS)
- LIGHT RAIL VEHICLES (LRV)
- TRANSIT FACILITIES

- SALLY PORTS
- SECURITY GATES
- PARKING GARAGE GATES
  - ... AND MANY MORE APPLICATIONS!

Partnering with its clients, BATOR has been providing quality turnkey solutions since 1956 to address the design manufacturing installation and servicing of large access controlled openings. Many years of experience, combined with the latest engineering expertise, makes BATOR a valuable partner when it comes to functional and reliable doors. All BATOR door systems – whether folding, telescopic or sliding doors – are perfectly matched to the façade, down to the last detail. Attention is paid to color, motor and control system functionality as well as the best possible acoustic and thermal insulation.

## BENEFITS OF CHOOSING A BATOR FOUR-FOLD DOOR SYSTEM

### SPEED

BATOR Four-Fold Door Systems open and close twice as fast as conventional sectionals or rolling doors.

### **DURABILITY**

BATOR Four-Fold Door Systems are highly engineered and designed to operate for well over 1Million cycles.

### **PERFORMANCE**

BATOR's attention to detail in our sections, insulation, glass and hardware come together in a Four-Fold Door solution that is second to none. The ability to disengage and re-engage from floor level, at any point, is a critical advantage available only on BATOR Four-Fold Door Systems.

### **SAFETY**

BATOR Four-Fold Door Systems have been designed to minimize pinch hazards, providing you, not only the highest performing four-fold solution, but the safest, aswell.

### **FASTEST INSTALLATION**

With pre-installed glass, hinges and operating system, the BATOR Four-Fold Door Systems are the fastest and easiest four-fold doors to install available anywhere today. Simply put, nothing comes close.

### **3 MODELS AVAILABLE**

## BATOR FOUR-FOLD 158 SERIES

### 1-5/8" Thick Sections

Wind Load: Up to 25 psf

Max Width: 18'-4" Max Height: 14'-9"



## BATOR FOUR-FOLD 238 SERIES

### 2-3/8" Thick Sections

Wind Load: Up to 50 psf

Max Width: 17'-4"
Max Height: 33'-4"



## BATOR FOUR-FOLD 400 SERIES

### **4" Thick Sections**

Wind Load: Up to 120 psf

(Design Pressure) Max Width: 14'-0" Max Height: 16'-0"



MODEL #	SECTION THICKNESS	OPERATION	MOUNT	OPENING
AFFD158	1-5/8"	Electric	Interior	Max Width 18'-4" Max Height 14'-9"
AFFD158E	1-5/8"	Electric	Exterior	
MFFD158H	1-5/8"	Hydro-Pneumatic	Interior	
MFFD158	1-5/8"	Manual	Interior	
MFFD158E	1-5/8"	Manual	Exterior	
AFFD238	2-3/8"	Electric	Interior	Max Width 20'-0" Max Height 22'-0"
AFFD238E	2-3/8"	Electric	Exterior	
AFFD238H	2-3/8"	Hydro-Pneumatic	Interior	
MFFD238	2-3/8"	Manual	Interior	
MFFD238E	2-3/8"	Manual	Exterior	
AFFD400	4"	Electric	Interior	Max Width 14'-0" Max Height 16'-0"
AFFD400E	4"	Electric	Exterior	
AFFD400H	4"	Hydro-Pneumatic	Interior	

# FEATURES AVAILABE ON ALL BATOR FOUR-FOLD DOORS

### **MOUNTING**



### **INTERIOR**

Interior Mounted BATOR FOUR-FOLD doors are much less invasive than traditional sectional doors.



#### **EXTERIOR**

When space is a problem, Exterior Mount is the solution.

PERFECT FOR THE RETRO-FIT MARKET!

### PERIMETER DOOR SEALING SYSTEM



### **BATOR WEATHER SEALS SYSTEM**

Thermally efficient and unique complete door sealing system is designed for the harshest climates!

The Arctic Grade extruded neoprene perimeter door seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most door styles and colors. Low-maintenance & one-time installation!

### **A UNIVERSE OF OPTIONS**



### **COLORS**

RAL / PPG Sherwin Williams Special Custom to Façade



### **WINDOWS**

Various glass types to meet all your needs. Fully customizable and factory glazed



### CONTROLS/ ACTIVATION DEVICES

Safety Edges – Come Standard Photo Eyes – Come Standard Radio Controls, Loop Detectors and more!



## For more information or a detailed project pricing, please contact your local BATOR dealer.

Professionally installed and serviced by:

### **BATOR North America LLC.**

PO Box 36526 1451 South Elm-Eugene Street Greensboro, NC 27406 Telephone: (336) 907.2286 | Email: us@bator.com

www.bator.com